



ENERGY &
ENVIRONMENT
AWARDS

Skills for a greener world

EEA Level 2 End-point Assessment for Dual Fuel Smart
Meter Installer

Specification

QAN 610/6019/7
ST0158 V1.2 V1.3

Specification for

EEA Level 2 End-point Assessment for Dual Fuel Smart Meter Installer

QAN 610/6019/7

Updates to this specification	3
Section 1: At a Glance EPA Summary	4
Objective.....	7
Professional recognition.....	7
Gateway Readiness.....	7
Recognition of prior learning (RPL).....	7
Section 2: End-point Assessment Components.....	9
Component 1: Multiple-choice Test	9
Component 2: Practical assessment with questions.....	16
Component 3: Interview (based on a portfolio of evidence).....	36
Section 3: Grading and Grading Descriptors	47
Component 1: Multiple-choice Test	47
Component 2: Practical assessment with questions.....	48
Component 3: Interview based on an EPA portfolio	51
Overall grading	54
Section 4: Resits and retakes	55
Section 5: Practical Guidance.....	56
L2 DFSMI Practical assessment Planning Form.....	56
Preparing for the Practical assessment with questions.....	57
Preparing for the Interview based on an EPA portfolio	57
Guidance on an EPA Portfolio	57
Preparing for the Multiple-choice Test	59
Section 6: Authenticity and security of apprentice work.....	60

Updates to this specification

Since the first publication of Energy & Environment Awards (EEA) Dual Fuel Smart Meter Installer Specification (DFSMI), the following updates have been made.

Version	Date first published	Section updated	Page(s)
v4.0	June 2026	Update to include V1.4 in line with current Skills England assessment plan; no changes to assessment content.	All
v3.0	August 2025	Duration to gateway revised (14 months to 8 months). EPA portfolio updates.	All
v2.0	August 2025	Rebranded	All
v1.0	August 2024	First published	All

Section 1: At a Glance EPA Summary

Qualification name	EEA Level 2 End-point Assessment for Dual Fuel Smart Meter Installer
Ofqual qualification number	610/6019/7
Standard reference	ST0158
Assessment plan	V1.2
Standard title	Dual Fuel Smart Meter Installer
Level	2
Entry Requirements	Learners must be 16 years of age or above
On-programme duration	Current Apprentices (starting before 1 August 2025): • Minimum on-programme duration remains 12 months • Must complete the required amount of off-the-job training in line with apprenticeship funding rules New Apprentices (starting on or after 1 August 2025): • Minimum on-programme duration is 8 months (reduced from 12 months) • Off-the-job training requirements still apply as per funding rules Typical duration for full-time apprentices (from 1 August 2025): • Around 8 months on-programme under the new version

Gateway readiness	Mandatory requirements: • Employer or training provider must confirm the apprentice is ready to take the EPA • Apprentice must achieve English and mathematics qualifications in line with the apprenticeship funding rules • Submit IGEM IG/1 Supplement 3 Certificate • Submit Consolidated Metering Code of Practice (CoMCoP) • Submit Matters of Gas Safety Competency Accreditations • Compile and submit an EPA portfolio, which the interview will be based To confirm the apprentice has met all Gateway pre-requisites, employer must complete, sign and submit the Gateway Eligibility Form (GER) form to EEA. See Appendix B, Dual Fuel Smart Meter Installer Supporting Documents 'Gateway Eligibility Form.'
End-point assessment duration	Typically 3 months after the Gateway
End-point assessment methods and their order	The assessment components can be delivered in any order. The result of one assessment method does not need to be known before starting the next: • Multiple-choice test • Practical assessment with questions • Interview (based on a portfolio of evidence)
End-point assessment methods and component grading	• Multiple-choice test: Fail; Pass; or Distinction • Practical assessment with questions: Fail; Pass; or Distinction • Interview based on a portfolio of evidence: Fail; Pass; or Distinction

Overall Grading	Fail; Pass; Merit or Distinction
Certification	EEA request Apprenticeship completion certificates from the ESFA
Glossary of Terms	Appendix A, Dual Fuel Smart Meter Installer Supporting Documents

Objective

The purpose of the Standard end-point assessment is to reflect compliance with all Ofqual requirements, the requirements of the relevant Assessment Plan and to confirm that an apprentice is fully capable of doing their job before they receive their apprenticeship certificate. It also helps to demonstrate that what an apprentice has learned can be applied in the real world.

Once the apprentice has completed the DFSMI end-point assessment requirements successfully and has been certified they could take on the following job role:

- Dual Fuel Smart Meter Installer

Professional recognition

The apprenticeship standard meets the professional standards of the Institution of Gas Engineers and Managers (IGEM) for Engineering Technician (EngTech).

Gateway Readiness

Gateway takes place before the EPA can start. The employer and training provider will review their apprentice's knowledge, skills and behaviours to see if they have met the minimum requirements of the apprenticeship set out in the apprenticeship standard and are ready to take the assessment. Only apprentices who complete gateway successfully can start the EPA. Gateway pre-requisites are listed in the summary table above. The Gateway Eligibility Form must be completed see DFSMI Supporting Documents Appendix B.

Recognition of prior learning (RPL)

Energy & Environment Awards does not recognise any apprentice prior learning (RPL) or prior achievement (RPA) for the purpose of amending the assessment requirements of any end-point assessments.

Please refer to Energy & Environment Awards RPL and RPA policy at <https://energyenvironmentawards.co.uk/policies-and-fees/>

In order for EEA to award an end-point assessment qualification, the apprentice must successfully complete all required assessment components with Energy & Environment Awards. This means that:

- each of the EPA components must be completed in full with EEA
- where an apprentice transfers to EEA from another EPAO they have to undertake the entire EPA with EEA
- components of the EPA cannot be certificated in isolation
- evidence for the portfolio and interview must be produced while the apprentice is on-programme to demonstrate current practice

This does not affect the Gateway requirements which must be met in order for an apprentice to be eligible for end-point assessment.

This does not affect any reasonable adjustments that may be granted.

Section 2: End-point Assessment Components

Component 1: Multiple-choice Test

Overview

The multiple-choice test is a computer-based test which consists of 40 multiple-choice questions. Paper-based tests are available on request.

Apprentices have 60 minutes to complete the test.

The multiple-choice questions will have four possible answers of which one will be correct.

The Pass mark is 28 correct answers.

The Distinction mark is 34 correct answers.

For this paper:

- a (scientific) calculator is allowed
- access to the internet or intranet is NOT allowed
- apprentices cannot refer to any reference books or materials

Apprentices must take the test in a quiet space, free from distractions and influence, in the presence of an invigilator.

Apprentices must be given at least **2 weeks notice** of the date and time of the multiple-choice test.

Multiple-choice Test Coverage

The multiple-choice test consists of 40 core knowledge questions.

The table below lists each of the knowledge elements, assessed in the knowledge assessment. Amplification and Guidance can be found in the table above.

Number of Questions	Knowledge	Amplification and Guidance
4 - 6	K1: Health, safety and environmental legislation and regulations applicable to work in the gas and power industries including fire safety and Safety at Work Act.	1.1 Awareness of the key responsibilities derived from the Health and Safety at Work Act 1974 1.2 General Fire Safety practices and awareness (as per hse.gov.uk) 1.3 Knowledge of the Gas Safety (Installation & Use) Regulations 1998 (as amended) 1.4 Knowledge of the Electricity at Work Regulations 1998
2 - 4	K2: Regulatory compliance and the recognition of different customer needs including vulnerability as defined by Office of Gas and Electricity Markets (OFGEM) and Retail Energy Code Schedule 16.	2.1 Awareness of the main Smart Meter Installer regulatory Schedule – Retail Energy Code Schedule 16 2.2 Knows the OFGEM definition of vulnerability (as per OFGEM Vulnerability Strategy) 2.3 Knows the correct course of action to take when a vulnerable customer is encountered
3 - 5	K5: Characteristics of different smart meter categories, associated equipment and	5.1 Can recognise the differences between SMETS1 and SMETS 2 Smart Meter types

Number of Questions	Knowledge	Amplification and Guidance
	communication systems including single phase, multi-rate, single phase off multi-phase and multi-phase (electricity); and low pressure and medium pressure (gas).	5.2 Awareness of the differences between single and multi-phase supplies, and single-phase off multiphase 5.3 Knows how to recognise a multi-rate meter 5.4 Knows the pressure parameters for both low and medium pressure gas supplies
4 - 7	K11: Gas and electrical engineering theories and procedures involved in the practical application of installation, exchange, commission, decommission and maintenance of smart meter and associated equipment and communication systems.	11.1 Knows the process for gas Tightness Testing (IGEM/UP/1B: Edition 3+A 2012) 11.2 Knows the process for electrical testing as per company operating procedures 11.3 Knows the process for checking polarity on an electrical installation and the correct actions to take where polarity is incorrect 11.4 Knows the procedure for leaving the site safe where the work area has to be left unattended 11.5 Awareness of the types of communication systems deployed on Smart Meter Installations

Number of Questions	Knowledge	Amplification and Guidance
6 - 7	K12: Electrical and mechanical principles and how they are applied in work processes and procedures to ensure safety of self and others.	12.1 Knows the procedures for 'proving dead' on an electric meter installation 12.2 Aware of the correct use of temporary continuity bonds / why temporary continuity bonds are required 12.3 Knows the required voltage readings that must be achieved across the terminals of the electric meter 12.4 Knows the procedure for purging a gas installation after a gas meter exchange 12.5 Awareness of the requirement to 'Prove-Use-Prove' electrical test equipment 12.6 Knows the process for testing standing and working pressure on a gas meter installation

Number of Questions	Knowledge	Amplification and Guidance
4 - 6	K13: Fuel poverty, signs and available support. Energy efficiency measures.	13.1 Awareness of the definition of 'fuel poverty' (as defined by National Energy Action and UK government.) 13.2 Can recognise the signs that may indicate fuel poverty 13.3 Awareness of the support available where fuel poverty has been determined 13.4 Awareness of energy efficiency measures that can be applied to alleviate energy consumption and therefore reduce usage. (as per energysavingtrust.org.uk)
3 - 5	K14: Unsafe metering equipment, supplies and installations in accordance with both MOCOP and IGEM/G/11 procedures.	14.1 Knows the indicators of unsafe gas metering equipment 14.2 Knows the indicators of unsafe electrical metering equipment 14.3 Can identify the standards which outline unsafe metering equipment, supplies and installations

Number of Questions	Knowledge	Amplification and Guidance
2 - 4	K15: Signs of tamper, 3rd party interference, illegal extraction and energy theft across all aspects of meters and associated equipment.	15.1 Awareness of the signs of tampering / interference and illegal energy extraction on gas meter installations 15.2 Awareness of the signs of tampering / interference and illegal energy extraction on electric meter installations 15.3 Awareness of the safety risks associated with the illegal extraction of energy
4 - 7	K16: Low carbon technologies used within domestic dwellings used to provide energy, heating and hot water.	16.1 Awareness of the operation of low carbon technologies used within domestic dwellings
2 - 4	K17: The roles of other trades, disciplines and utility service providers associated with metering installation.	17.1 Awareness of the role of the Distribution Network Operator (DNO) in connection with electrical metering installations 17.2 Awareness of the role of the Gas Transporter (GT) in connection with gas metering installations

Multiple-choice Test Roles and Responsibilities

Role	Responsibility
Invigilator	Is typically provided by the employer or training provider. Attend induction training as directed by Energy & Environment Awards. Not invigilate an assessment, solely, if they have delivered the assessed content to the apprentice. Invigilate and supervise the apprentice during tests and in breaks during assessment methods to prevent malpractice in line with Energy & Environment Awards invigilation procedures.
Employer/Training Provider	Ensure that the multiple-choice test is scheduled with EEA for a date and time which allow the apprentice to be well prepared. Follow EEA guidance in setting up and confirming IT provision for the on-screen test.
EEA	Arrange for the multiple-choice test to take place, in consultation with the employer/training provider. Mark multiple-choice test answers accurately according to the mark scheme and procedures.

Component 2: Practical assessment with questions

Overview

In the practical assessment with questions, an independent assessor, appointed by Energy & Environment Awards, will observe the apprentice completing a set task or a series of set tasks in an environment agreed with Energy & Environment Awards. The environment must closely relate to their natural working environment. The apprentice will demonstrate the application of the relevant knowledge, skills and behaviours (KSBs) mapped to this assessment component through natural occurring evidence.

The independent assessor will ask questions before or during the practical assessment to clarify or confirm coverage of the mapped KSBs. To minimise disruption, questions will be asked during natural breaks in work or after tasks are completed to ensure there is no disruption to the apprentice's work flow. Energy & Environment Awards will provide the apprentice with at least **two weeks'** notice of the assessment.

The following table below provides the procedure for conducting a practical assessment with questions:

Assessors	1 Independent assessor, approved by EEA.
Practical structure	The total assessment time is 12 hours and be completed over 2 consecutive days. A working day is typically considered to be 7.5 hours long. The independent assessor can increase the time of the assessment by up to 1 hour and 12 minutes (10%) to allow the apprentice to complete a task or respond to a question if necessary. The independent assessor must ask a minimum of 3 questions during or after the practical assessment. The assessor must ask questions from Energy & Environment Awards question bank or create their own in line with training from Energy & Environment Awards. The time for questioning is included in the overall assessment time. The independent assessor can ask follow-up questions to clarify answers given by the apprentice. These questions are in addition

	to the above set number of questions for the practical assessment. The practical assessment with questions cannot be split, other than for breaks. There may be breaks during the practical assessment with questions to allow the apprentice to move from one location to another and for meal/comfort breaks. During these breaks, the clock will be stopped and then restarted to ensure that the assessment duration is not reduced. The breaks must be invigilated during the assessment, to maintain security of the EPA, in line with EEA's malpractice policy. The independent assessor may observe a maximum of 4 apprentices at the same time.
Where will the assessment take place?	The practical assessment, including questions, must be conducted in an environment approved by Energy & Environment Awards that closely reflects the apprentice's natural working environment.
What are the tasks that will be covered?	The apprentice will: • Install, exchange, commission, maintain and decommission the following smart meters and associated equipment: ○ single phase ○ multi-rate ○ single phase off multi-phase ○ low-pressure (gas) • Conduct servicing and fault-finding procedures on one asset, including the rectification of a pre-loaded fault. The independent assessor should observe the following during the assessment: • compliance with health and safety legislation and regulations • dynamic risk assessments • completing documentation • use of PPE, safe use of tools and digital equipment • installation, exchange and commissioning of smart meters

	• maintenance, fault-finding procedures and rectification of a fault • decommissioning of smart meters For further details refer to ‘Knowledge, Skills and Behaviours (KSBs) Coverage’ below.
Who sets the task(s)?	EEA will review the employer and/or training provider planned tasks which are based on the activities listed above. See Appendix D, DFSMI Supporting Documents ‘Level 2 DFSMI practical assessment with questions planning and approval form.’ The independent assessor must explain to the apprentice the format and timescales of the practical assessment with questions before it starts. This does not count towards the assessment time.
What resources can the apprentice use?	Apprentices must have access to work instructions/manuals relating to the equipment/service for reference purposes. These can be electronic and/or hard copy. Where practical assessments take place on the employer’s site, it is anticipated that the employer will make the necessary equipment and tools available. Equipment and resources needed for the practical assessment with questions must be provided by the Centre: • the tools, plant, machinery, equipment and PPE required for the job • in good and safe working condition
How many questions will the apprentice be asked?	The independent assessor: • will ask a minimum of 3 questions • may ask follow-up questions in order to seek clarification
What will the questions focus on?	Underpinning knowledge and/or skills and behaviours where an opportunity to observe them has not occurred.
Grading	Fail, Pass, or Distinction.

Practical assessment with questions Knowledge, Skills and Behaviours (KSBs) coverage

The practical assessment with questions covers:

Practical assessment with questions Theme: Health and Safety	Amplification and Guidance (where required)
K3: Gas Industry Unsafe Situations Procedure (IGEM G11).	• Demonstrates the knowledge required to recognise unsafe situations and knows how to correctly categorise these situations • Implements the correct actions appropriate to the specific situation that meet the requirements of The Gas Industry Unsafe Situations Procedure (IGEM/G/11 Edition 2) when unsafe situations are met
K4: Dynamic risk assessments, associated procedures and documentation.	• Demonstrates awareness of risks and hazards through consistent dynamic risk assessment and by applying the required risk mitigation throughout the job • Correctly completes the required employer documentation procedure to record notable hazards for future company visitors
S6: Carry out dynamic risk assessment.	• The apprentice carrying out metering work shall demonstrate a level of safety knowledge and experience necessary to identify and mitigate risk in a safe and efficient manner that takes place continuously throughout the job • Pre-arrival protocol/checks and relevant vehicle checks are carried out e.g., ○ vehicle checks (tyres/fuel/wipers/oil/screen wash); vehicle stock

Practical assessment with questions Theme: Health and Safety	Amplification and Guidance (where required)
	○ job notes on Hand Held Terminal for vulnerabilities; pre-call checks (estimated time of arrival, medical or sensitive equipment, safe to park, park safely, risk access route to door (trip hazards, or evidence of young children or pets), risk assessment of flues, terminals, presence of solar panels • Company doorstep protocol is applied e.g., Stage 1 PPE worn, appropriate company introduction is provided • Risk assessment of customer circumstances / situation particularly where vulnerability is present, is found, or is suspected • Risk assessment of all tools, equipment, and Personal Protective Equipment prior to use • Risk assessment of the work area/location and removal of any materials or items causing impediment or danger • Risk assessment of completed job so as to ensure no hazardous circumstances are left present • Communication of risk assessment information is provided to the customer/responsible person at appropriate points throughout the job • The apprentice can verify the appropriate agency to be contacted when risk mitigation requires external intervention i.e., the Emergency Service Provider (ESP) for gas, or the Distribution Network Operator (DNO) for electric

Practical assessment with questions Theme: Health and Safety	Amplification and Guidance (where required)
S8: Apply health and safety practices. Identify and report non-compliant conditions or situations.	• Can recognise unsafe situations, and knows the actions to take that meet the requirements of: ◦ Reporting of Injuries, Diseases and Dangerous Occurrences Regulations 2013 (RIDDOR) ◦ Asset Condition Codes (A, B and C Codes: MOCOPA Guidance for Service Termination Issue Reporting) ◦ IGEM/G/11 (Edition 2) • Can recognise and apply the correct actions to situations that are deemed 'At Risk' (AR) • Can recognise and apply the correct actions to situations that are deemed 'Immediately Dangerous' (ID)
B1: Prioritise health and safety.	• Always demonstrates a focus on the safety and wellbeing of self and all other persons • Takes appropriate action to ensure the safety and wellbeing of people who may inadvertently enter the work site at any stage in the operation • Effectively communicates risk control measures to the consumer

Practical assessment with questions Theme: Documentation	Amplification and Guidance (where required)
K19: General Data Protection Regulations (GDPR).	Awareness of the requirement under the General Data Protection Regulations (GDPR,) to handle customer data securely and in compliance with employer or company GDPR policies
K21: Principles of completing work records, maintaining asset details and customer data in accordance with General Data Protection Regulations (GDPR).	Awareness of the requirement to gain consumer consent in instances where new consumer data is to be processed, i.e. completing work records and recording consumer details in job notes, or processing metering account details
S9: Use digital technology to access job, appliance and customer information.	Correctly use company device / hand-held-terminal (HHT) to access job, appliance and customer information
S10: Complete work records, maintain asset details and customer data in accordance with General Data Protection Regulations (GDPR).	Complete and record job, asset and customer data / information in accordance with General Data Protection Regulations (GDPR) and company data policy

Practical assessment with questions Theme: Install, Exchange and Commission	Amplification and Guidance (where required)
K6: Installation and commissioning practices and techniques applicable to smart meters, associated equipment and communication systems.	• Visual meter installation checks • Voltage and polarity testing • Correct usage of test equipment • Relationship between current, fuse rating and cable sizing • Safe isolation / prove dead • Cabling techniques • Properties of gas and combustion / flame picture • Flueing / chimneys / ventilation for all appliance types and situations • Appliance checks: Voltage checks, stability, appliance and component placement, safety shut-off valves • Signs of spillage and actions to take when spillage is found • Sources of microgeneration and the effect on meter installations • Installation and commissioning procedures for both gas and electric meters and the associated Smart Communications system • Tampering and its effects • Pressure and gas flow • Prove-Use-Prove (P-U-P) process for test equipment on each usage • Interpretation of test results / readings • Recognition of incorrect test results / readings • Condition of fuse; cable checks correctly sized; fuse rating

Practical assessment with questions Theme: Install, Exchange and Commission	Amplification and Guidance (where required)
	• Ignition and flame picture checked including hotplate, grill and oven burners • Terminal guard requirements • Inset live flue effect fire: Spillage (no signs on and around fire); flue checked throughout its length; termination confirmed; ventilation requirements • Cooker Stability chain present • Inset Live Fuel Effect (ILFE) fire - Coal placement checks
K9: Tools, test equipment, ladder and access systems, and personal protective equipment.	• Tools and safety equipment used are tested before and throughout all activities, re-proving all electrical testing devices before and after each usage • Access equipment such as step-ladders are checked for inspection date being current, checked for damage and checked for correct operation before and after usage • Personal Protective Equipment (PPE) is checked and tested before each usage
K10: Gas and electrical testing and assessment procedures needed to establish the condition of the equipment and installation, and the actions needed as a result.	The apprentice can state the correct test-procedures and the course of action needed, for fail conditions of the tests and assessments listed here: • Extraneous metal checks • Polarity and socket tests • Voltage confirmation tests at meter

Practical assessment with questions Theme: Install, Exchange and Commission	Amplification and Guidance (where required)
	• Safe isolation and proving dead • Re-proving polarity after re-instatement of fuse • Gas Tightness testing • Purge procedure • Standing Pressure • Working Pressure
S1: Install and exchange smart meters, associated equipment and communication systems.	The application of the appropriate skills to perform meter installation and exchange tasks in an orderly, neat and tidy approach, including: • conducting the tasks involved in metering operations in the correct sequence • correct application of all checks, tests and procedures, and correct interpretation of results during meter exchange and installation • application of the correct cabling and pipework jointing skills • replacement of Regulator, washers and shear bolts on gas meter installation • meter communications systems are installed • checks on Consumer Unit and Residual Current Device positions (RCD's) • Visual checks on Emergency Control Valve for settings, i.e. correct handle position and on-off indicator

Practical assessment with questions Theme: Install, Exchange and Commission	Amplification and Guidance (where required)
	• Checks presence of earth-bonding is in correct position at gas meter installation and knows the action to take if no bonding is present • Checks the installation and operation of all gas appliances prior to meter exchange • Knows the categories of unsafe situation as per IGEM/G/11 (Edition 2) and the appropriate actions to take if unsafe situations are found or arise • Operates within the parameters of the Consolidated Metering Code of Practice (CoMCoP) V2 2023 • Activities during installation must be carried in accordance with industry and company standards and must include: ○ Visual checks of meter installations and associated components ○ Preparing the new metering equipment (Meter, regulator, comms unit,) for works ○ Exchanges old and new meters in correct sequence running appropriate tests at correct points in the exchange. Tests must include: <u>Electric Meter:</u> - Extraneous metal test - Polarity tests and proof of polarity - Safe isolation

Practical assessment with questions Theme: Install, Exchange and Commission	Amplification and Guidance (where required)
	- 'Proving dead' at cut-out and existing meter - Prove-use-prove of test equipment before and after every use - Re-instatement of supply - Polarity tests after re-instatement - Polarity checks at new meter <u>Gas Meter</u> - Voltage indicator check - Checks to manometer - Tightness Test - Purge - Working (or operating) pressure tests - Standing pressure tests - Leak Detection checks on meter installation - Relighting of appliances to confirm correct operation • Installation of ancillary equipment (Meter, regulator, isolator blocks) as required) • Installation of communication hub
S2: Commission smart meters, associated equipment and communication systems.	• Meter and communications hub pairing actions are effective for electric and gas meters • Old / New meter details are recorded on appropriate device / document

Practical assessment with questions Theme: Install, Exchange and Commission	Amplification and Guidance (where required)
	• Operates within the parameters of the Consolidated Metering Code of Practice (CoMCoP) V2 2023 • Activities during commission must be carried in accordance with industry and company standards: ○ Correct application of all commissioning checks and tests, i.e. meter and communications hub pairing ○ Verification of correct installation of all associated equipment (meter, regulator and comms unit)
S7: Select, use and maintain tools, test equipment, ladder and access systems, and personal protective equipment (PPE).	• The apprentice selects the appropriate tools and equipment relative to the task • All electrical and gas tools, PPE and ancillary and equipment is / are inspected for damage before and after use • Tools and equipment are maintained to the required standard, and tools requiring re-calibration or portable appliance test date stamps are checked to be always in-date. • Apprentice understands the specifications for tools and equipment, including their limitations • Electrical testing is carried out using appropriate devices, proving the correct operation of any such devices before and after use • Test equipment is utilised following a prove-use-prove strategy: ○ Single-Pole voltage Tester (VT7)

Practical assessment with questions Theme: Install, Exchange and Commission	Amplification and Guidance (where required)
	○ Non-contact voltage indicator pen (VT4) ○ Voltage Test Lamps (Drummonds) ○ Socket Tester (Martindale) ○ Manometer and tubes ● Personal Protective Equipment (gloves or gauntlets, and face visor,) is inspected for damage and appropriately tested (leakage test on gloves) before and after use
B2: Take responsibility for work.	● Ensures that the job is either completed, or that the appropriate advice is provided to allow the job to proceed ● Ensures the consumer has full understanding of what is happening or what is required at all times throughout and after the job

Practical assessment with questions Theme: Maintenance and fault-finding	Amplification and Guidance (where required)
K7: Fault-finding, diagnosis and rectification practices and techniques applicable to smart meters, associated equipment and communication systems.	● Identifies faulty or unsafe situations and takes appropriate actions to make safe, then rectify and repair the issue. ● Diagnoses faults in a methodical and safe manner ● Actions to conduct repairs are within scope of role and follow company procedures

Practical assessment with questions Theme: Maintenance and fault-finding	Amplification and Guidance (where required)
K25: Techniques and procedures for carrying out on-going maintenance of smart meters, associated equipment and communication systems.	• Tools and safety equipment used throughout all maintenance activities are appropriately checked and tested • Voltage and polarity tests are carried out during maintenance as required • Relationship between current, fuse rating and cable sizing can be stated • Safe isolation / prove dead • Properties of gas and combustion / flame picture can be determined as suitable • Flueing / chimneys / ventilation can be visually checked for safety • Signs of spillage and actions to take when spillage is found • Microgeneration and the effect on meter installations • Signs of tampering and its effect on meter installations • Pressure and gas flow • Prove-Use-Prove (P-U-P) process for test equipment on each usage • Test results / readings • Condition of fuse; cable checks correctly sized; fuse rating • Ignition and flame picture checked including hotplate, grill and oven burners • Terminal guard requirements

Practical assessment with questions Theme: Maintenance and fault-finding	Amplification and Guidance (where required)
	• Inset live flue effect fire: Spillage (no signs on and around fire); flue checked throughout its length; termination confirmed. • Actions to take when a damper is present in the chimney / flue • Ventilation requirements for all appliance types is / are checked • Stability chain present • Coal placement checks
S3: Carry out ongoing maintenance of smart meters, associated equipment and communication systems.	The application of the appropriate skills to perform meter maintenance tasks in an orderly, neat and tidy approach, including: • conducting the tasks involved in metering maintenance in the correct sequence • correct application of all checks, tests and procedures, and correct interpretation of results during maintenance activities • application of the correct cabling and pipework jointing skills (if required) • knows the actions to take if unsafe situations are found or arise • ongoing maintenance of existing equipment as required i.e., Isolators / Fuse Carriers / Connector Blocks / Emergency Control Valve (ECV) / Regulator / shear-bolts and bracket • awareness of the limitations of scope for the DFSMI role

Practical assessment with questions Theme: Maintenance and fault-finding	Amplification and Guidance (where required)
S4: Identify, diagnose and rectify faults in smart meters, associated equipment and communication systems.	• Identification and diagnosis of faults will be made using the results of tests and by the application of methodical fault analysis techniques, including knowledge of how the components of a metering system operate under normal operating conditions • Examples of faults to be identified, diagnosed and rectified include: ○ Emergency Control Valve that has 'let-by' ○ Damaged isolator resulting in 'A-Code' ○ Faulty regulator at gas meter ○ Reverse polarity on one socket ○ Copper showing on meter tails • Rectification actions will be taken only if they are within the scope of competence for a Smart Meter Installer
Practical assessment with questions Theme: Decommission	Amplification and Guidance (where required)
K8: Decommissioning practices and techniques applicable to smart meters.	• Correctly removes existing gas and electrical metering equipment from services as per company procedures • Applies the appropriate actions on meter removal to maintain safety: e.g. caps-off inlet and outlet of gas meter • Correctly processes redundant meters and metering equipment in line with company process and procedure

Practical assessment with questions Theme: Decommission	Amplification and Guidance (where required)
	• Makes equipment safe that remains in situ after redundant equipment is removed (i.e. Emergency Control Valve, Fuse cut-out) • Records correct details of redundant equipment on company device
S5: Decommission smart meters, associated equipment and communication systems.	• Operates within the parameters of the Consolidated Metering Code of Practice (CoMCoP) V2 2023 • Activities during decommission must be carried in accordance with industry standards: ○ preparing the metering equipment (Meter, regulator, comms unit,) for removal ○ correct application of all checks and tests • Removal and safe disposal of redundant equipment (Meter, regulator and comms unit) is in line with company operating procedures
S14: Dispose of defective smart meters or assets, and all waste.	• Removes all waste materials and redundant equipment on job completion in accordance with company operating procedures • Hazardous waste is correctly evaluated and disposed of in accordance with the required company operating procedures

Practical assessment with questions Roles and Responsibilities

Role	Responsibility
Independent Assessor	Explain, to the apprentice, the format and timescales of the observation with questions before it starts. Conduct and assess the practical assessment with questions. Use language in the delivery of the EPA that is appropriate to level 2. Invigilate and supervise the apprentice during the practical assessment with questions, including moving between tasks and breaks, to prevent malpractice in line with Energy & Environment Awards invigilation procedures. Record and report assessment outcome decisions for each apprentice, following instructions and using assessment recording documentation provided by EEA.
Employer/Training Provider	The training provider must liaise effectively with the employer to ensure the apprentice is prepared for the practical assessment with questions. Provide the venue for the practical assessment with questions which must be suitably equipped to allow the apprentice to attempt all aspects of the practical assessment with questions. Provide all necessary tools and equipment for the apprentice. Ensure the apprentice has access to the resources used on a daily basis. Provide EEA with access to any employer-specific documentation as required for example, company policies.

Role	Responsibility
	Use the EEA practical assessment with questions review service to review, discuss and approve the fitness for purpose of the assessment task. Ensure that any required supervision during the EPA period, as stated in this Specification, is in place. Employer/training provider must remain independent from the delivery of the EPA.
EEA	EEA will review the arrangements for the practical assessment with questions planned by the employer/training provider. Arrange for the practical assessment with questions to take place, in consultation with the employer/training provider and independent assessor.

Component 3: Interview (based on a portfolio of evidence)

Overview

The interview is based on the apprentice's EPA portfolio and focuses on holistic evidence covering the KSBs relating to the interview. The apprentices may refer to their EPA portfolio to help answer interview questions.

The EPA portfolio is **not assessed**. The EPA Portfolio Template is designed to assist the apprentice during their interview. The apprentice should use the EPA Portfolio Template to collate evidence in preparation for their interview. It should only contain evidence compiled throughout the apprenticeship. The EPA Portfolio Template will be issued to employers/training providers by their Energy & Environment Awards Service Delivery Coordinator and must be completed and submitted to EEA at Gateway.

The apprentice will be given at least **2 weeks notice** of the interview.

The following table outlines the procedure for conducting an interview based on an EPA portfolio:

Assessors	1 independent assessor approved by EEA will conduct the interview.
Interview structure based on an EPA portfolio	The apprentice's Manager/Mentor must support the completion of the EPA Portfolio Template tasks in accordance with company policy and procedures. Types and number of questions: • The independent assessor must ask a minimum of 6 questions • Standardised open questions will be asked based on the contents of the evidence in the EPA portfolio to ensure the apprentice's level of knowledge, skills and behaviours • Additional follow up questions are allowed, to seek clarification Locations: Employer's premises or a suitable venue for example a training provider's premises. Time: • The interview must last 45 minutes

	- The independent assessor has the discretion to increase the time of the interview by up to 10% to allow the apprentice to complete their last answer The Interview will be: - conducted by 1 independent assessor - face to face or remote, as agreed - recorded in writing using the interview record template provided by EEA - video recorded using relevant technology such as Microsoft Teams or an audio recording device - conducted under examination conditions The apprentice must have access to their EPA portfolio throughout the interview. Although questioning will cover ALL the elements of the DFSMI standard (listed below in this section of the Specification), the independent assessor will prioritise areas according to what they see in the EPA portfolio. For further guidance on the EPA portfolio refer to Section 5 Practical Guidance on an EPA Portfolio.
What topics will be covered?	For further details refer to ‘Knowledge, Skills and Behaviours (KSBs) Coverage below page [38 – 45].
When will the portfolio of evidence be referred to?	The EPA portfolio: - will be reviewed by the independent assessor before the interview - can be referred to by the apprentice to illustrate their answers Note: the EPA portfolio is not directly assessed.
Grading	Fail, Pass, or Distinction

Interview based on an EPA Portfolio of knowledge, skills and behaviours (KSBs) coverage

The interview based on an EPA portfolio covers the following (Task references relate to Tasks specified in the EPA Portfolio Template):

Interview based on an EPA Portfolio. Theme and Core KSBs: Sustainability	Amplification and guidance
K18: Sustainability and energy efficiency: green technologies, alternative fuels, energy consumption, energy ratings and how they are calculated.	• Awareness of how ‘sustainable energy’ is defined within the UK: (i.e. as defined by sciencedirect.com: “power which is able to be replenished within a human lifetime and so cause no long-term damage to the environment”) • Awareness of how ‘Alternative Fuels’ are defined within the UK: (i.e. as defined by sciencedirect.com: “fuels or power sources that serve as a substitute for fossil fuels”) • Examples of ‘Alternative Fuels: renewable energy, nuclear power, hydrogen, biomass and geothermal energy. • Awareness of the operating methodology of green technologies: ○ air source heat pumps ○ ground source heat pumps ○ biomass boilers ○ micro CHP systems

Interview based on an EPA Portfolio. Theme and Core KSBs: Sustainability	Amplification and guidance
	○ underfloor heating ○ solar water heating • The factors which are taken into account when calculating energy performance certificate (EPC) ratings, including energy consumption, energy efficiency measures in the home, and appliance types
Interview based on an EPA Portfolio. Theme and Core KSBs: Communication	Amplification and guidance (where required)
K22: Verbal communication techniques. Giving and receiving information. Matching style to audience. Barriers in communication and how to overcome them. Sector specific terminology.	• Awareness of verbal communication skills, and techniques to enhance verbal communication through active listening, concise language, body language and tone when giving and receiving information • Tailoring the message and presentation style when connecting with diverse audiences • Knows ways to communicate in circumstances where English is not the first language

Interview based on an EPA Portfolio. Theme and Core KSBs: Communication	Amplification and guidance (where required)
	• Can use sector-specific terminology, but also knows when to curtail this, i.e. when talking to a customer
S11: Advise customers on energy efficiency and how to operate smart meters.	Can advise customers on energy efficiency measures they can apply: • reduce home heat loss through cavity or solid wall insulation • turning down thermostat by one degree • take shorter showers • avoid using tumble drier • turning appliances off rather than leaving on stand by mode • set radiator thermostats lower in unoccupied rooms Can describe how to operate the smart meter system: • how to read the information displayed on the in-home display • how to read the smart meter • how to track energy usage • how to use 'time-of-use' tariffs
S12: Communicate verbally with utility companies and other trades in order to complete tasks.	• Can determine when it is required to contact the Distribution Network Operator (DNO,) the Emergency Service Provider (ESP,) or the Gas Transporter (GT) where unsafe situations require external intervention

Interview based on an EPA Portfolio. Theme and Core KSBs: Communication	Amplification and guidance (where required)
	• Conducts clear and concise handover with representatives from the DNO, ESP and GT, where unsafe situations out-with the competency scope of the Smart Meter Installer role are found • Recognises the responsibility of other trades present and communicates effectively with these trades to maintain a safe working environment
Interview based on an EPA Portfolio. Theme and Core KSBs: Customer support	Amplification and guidance (where required)
K24: Principles and policies for identifying and responding to customers with fuel poverty issues.	• Awareness of the government definition of fuel poverty: a household is fuel-poor if they have fuel costs that are above average and, if they were to spend that amount, they would be left with an income below the official poverty line • Knows the signs that a customer or household may have fuel poverty issues: ○ wearing lots of clothes indoors

Interview based on an EPA Portfolio. Theme and Core KSBs: Customer support	Amplification and guidance (where required)
	○ staying in bed to keep warm ○ complaining that home feels cold, damp or draughty ○ respiratory problems such as asthma or a persistent cough ○ complaining that energy bills are too high or owing money • Knowledge of Energy Provider Policies regarding fuel poverty • Awareness of what to advise customer in instances where fuel poverty may be an issue, i.e to contact their energy supplier
S13: Identify where customers are experiencing issues around fuel poverty, and provide support and assistance through the energy provider or support services.	• Can recognise signs that a customer or household may have fuel poverty issues: ○ wearing lots of clothes indoors ○ staying in bed to keep warm ○ complaining that home feels cold, damp or draughty ○ respiratory problems such as asthma or a persistent cough ○ complaining that energy bills are too high or owing money • Provides contact details tactfully and empathetically to the customer for the energy supplier in circumstances where fuel poverty may be an issue • Knowledge of Energy Provider Policies regarding fuel poverty

Interview based on an EPA Portfolio. Theme and Core KSBs: EDI (Equity, Diversity and Inclusion)	Amplification and guidance (where required)
K20: Principles of equity, diversity and inclusion in the workplace and the impact on their work.	• Understanding of the meaning of equity, diversity and inclusion in the working environment • Knows the principles of equity and diversity are about respecting people for their: ○ age ○ race ○ gender ○ cultural background ○ beliefs ○ sexual orientation • awareness that inclusion means that the company ensures all employees feel safe and accepted to be themselves at work
B4: Support an equitable, diverse and inclusive culture.	• Has knowledge of how to support a culture of equity, diversity and inclusion (EDI.) • Awareness of company EDI policy

Interview based on an EPA Portfolio. Theme and Core KSBs: Mental Health	Amplification and guidance (where required)
K23: Common issues, symptoms and warning signs of stress, anxiety and depression, including where to go for help and the resources available.	• Recognises signs of stress including being irritable, angry or tearful, feeling worried, anxious, hopeless or scared, struggling to make decisions, feeling overwhelmed • Recognises signs of anxiety including feeling nervous, restless or tense, having a sense of impending danger, panic or doom. Having an increased heart rate and sweating • Recognises signs of depression including a person feeling down, upset or tearful, restless, agitated or irritable, guilty, worthless, empty and numb • Awareness of agencies and outlets where people can seek help for stress, anxiety or depression • Awareness of how to escalate serious concerns for a person's wellbeing within the company

I Interview based on an EPA Portfolio. Theme and Core KSBs: CPD (Continuous Professional Development)	Amplification and guidance (where required)
B3: Committed to continued professional development (CPD) to maintain and enhance competence in own area of practice.	• Awareness of sources of continued professional development (CPD,) both internally <i>from</i> the employer and externally <i>to</i> the employer and can evidence the undertaking of CPD • Awareness of the required competency regime around the Smart Meter Installer role, i.e. five yearly undertaking of Accredited Certification Scheme (ACS,) and ongoing CPD • Has knowledge of the available career progression routes

Interview Roles and Responsibilities

Role	Responsibility
Independent Assessor	Record and report assessment outcome decisions for each apprentice, following instructions and using assessment recording documentation provided by EEA. Review the apprentice's EPA portfolio prior to the question and answer session.
Employer/Training Provider	The interview must be scheduled with EEA for a date and time which allow the apprentice to be well prepared. Ensure the apprentice has access to their EPA portfolio before and on the day of the interview.
EEA	Arrange for the interview to take place, in consultation with the employer/training provider and independent assessor.

Section 3: Grading and Grading Descriptors

Component 1: Multiple-choice Test

The following grade boundaries apply to the multiple-choice test:

Grade	Minimum mark	Maximum mark
Fail	0	27
Pass	28	33
Distinction	34	40

Component 2: Practical assessment with questions

The apprentice must demonstrate core KSBs in an integrated way.

A Fail will be awarded if an apprentice has not achieved **all** the Pass descriptors..

To gain a Pass, an apprentice must successfully achieve **all** the descriptors for each KSB, as shown below.

To achieve a Distinction an apprentice must successfully achieve **all** the Pass descriptors and **all** of the descriptors from each of the distinction boxes.

Pass descriptors for the practical assessment with questions

Practical assessment with questions - Themed KSBs	To achieve a Pass the apprentice must achieve ALL of the following:
Health and safety K3 K4 S6 S8 B1	Carrys out dynamic risk assessments and prioritises health and safety before, during and after work tasks. (K4, S6, B1) Applies health and safety practices and identifies and reports non-compliant conditions or situations in line with the gas industry unsafe situation procedure (IGEM G11) (K3, S8)
Documentation K19 K21 S9 S10	Completes work records using digital technology and maintains asset details and customer, job and appliance data in line with GDPR and task requirements. (K19, K21, S9, S10)

Practical assessment with questions - Themed KSBs	To achieve a Pass the apprentice must achieve ALL of the following:
Install, exchange and commission K6 K9 K10 S1 S2 S7 B2	Installs, exchanges and commissions smart meters, associated equipment and communication systems taking responsibility for their own work in line with gas and electrical engineering procedures and task requirements. (K6; K10; S1; S2 and B2) Selects, uses and maintains tools, test equipment, ladder and access systems, and PPE in line with gas and electrical testing, assessment procedures and manufacturer's guidelines and task requirements. (K9 and S7)
Maintenance and fault-finding K7 K25 S3 S4	Carries out on-going maintenance of smart meters, associated equipment and communication systems in line with manufacturer's guidelines and task requirements. (K25 and S3) Identifies, diagnoses and rectifies faults in smart meters, associated equipment and communication systems in line with manufacturer's guidelines and task requirements. (K7 and S4)
Decommission K8 S5 S14	Decommissions and disposes of defective smart meters, associated equipment and communication systems in line with manufacturer's guidelines. (K8; S5 and S14)

Pass descriptors for the practical assessment with questions

Practical assessment with questions - Themed KSBs	To achieve a Distinction the apprentice must achieve ALL of the Pass descriptors and ALL of the following Distinction descriptors:
Health and safety K3 K4 S6 S8 B1	Explains the importance for themselves, colleagues and the business of carrying out dynamic risk assessments and applying health and safety practices. (K4; S6 and S8)
Documentation K19 K21 S9 S10	N/A
Install, exchange and commission K6 K9 K10 S1 S2 S7 B2	Installs and commissions smart meters, associated equipment and communication systems in line with gas and electrical engineering procedures achieving the outcome right-first-time to meet the needs of the task. (K6; K10; S1 and S2)
Maintenance and fault-finding K7 K25 S3 S4	Rectifies faults in smart meters, associated equipment and communication systems in line with manufacturer's guidelines, achieving the outcome right-first-time to meet the needs of the task. (K7 and S4)
Decommission K8 S5 S14	Decommissions defective smart meters, associated equipment and communications systems in line with manufacturer's guidelines, achieving the result right-first- time. (K8 and S5)

Component 3: Interview based on an EPA portfolio

The apprentice must demonstrate core KSBs in an integrated way.

To gain a Pass, an apprentice must successfully achieve **all** the assessment descriptors for each KSB, as shown below.

To achieve a Distinction, an apprentice must successfully achieve **all** the Pass assessment descriptors and **all** descriptors from each of the distinction boxes.

Interview (based on an EPA portfolio) - Themed KSBs	To achieve a Pass the apprentice must achieve ALL of the following:
Sustainability K18	Explains the following sustainability and energy efficiency topics and outlines how they impact their role: green technologies, alternative fuels, energy consumption, energy ratings and how they are calculated. (K18)
Communication K22 S11 S12	Describes how they advise customers on energy efficiency and how to operate smart meters in line with the manufacturer's guidance and organisation procedures and matches communication style and language to meet the needs of the audience. Describes how they communicate verbally with utility companies and other trades to complete tasks, matching style to audience and using sector specific terminology to overcome barriers to meet the needs of the audience. (K22; S11 and S12)

Interview (based on an EPA portfolio) - Themed KSBs	To achieve a Pass the apprentice must achieve ALL of the following:
Customer support K24 S13	Describes how they identify customers who are experiencing issues around fuel poverty. Explains how they provide support and assistance through the energy provider or support services to meet the needs of the customer in line with the energy provider policies. (K24 and S13)
EDI K20 B4	Describes how they support an equitable, diverse and inclusive culture and explains why this is important in their work. (K20 and B4)
Mental health K23	Describes common issues, symptoms and warning signs of stress, anxiety and depression and explains where to go for help and the resources available in their workplace. (K23)
CPD B3	Describes how they maintain and enhance their competence in their own area of practice through their commitment to continued professional development (CPD). (B3)

Distinction descriptors for the interview based on an EPA portfolio

Interview (based on an EPA portfolio) - Themed KSBs	To achieve a Distinction the apprentice must achieve ALL of the Pass descriptors and ALL of the following Distinction descriptors:
Sustainability K18	N/A
Communication K22 S11 S12	Explains the importance for customers and the business of meeting the needs of the audience when communicating verbally to advise customers. (K22; S11 and S12)
Customer support K24 S13	Explains the importance for customers and the business, of identifying customers facing fuel poverty issues and providing support and assistance in line with the energy provider policies. (K24 and S13)
EDI K20 B4	Explains the importance for the business of supporting a diverse and inclusive workplace culture. (K20)
Mental health K23	N/A
CPD B3	N/A

Overall grading

The apprenticeship will be graded fail, pass, merit or distinction. The final grade will be determined by collective performance in the three assessment components.

In order to gain a pass, an apprentice must achieve at minimum of a pass in each EPA component. A pass represents full competence against the standard. To achieve a merit grade, an apprentice must achieve a distinction in two of the EPA components and a pass in the third. To achieve a distinction grade, an apprentice must achieve a distinction in each EPA component.

The multiple-choice test, practical assessment with questions and interview based on an EPA portfolio are all marked separately and awarded a fail, pass, or distinction.

The multiple-choice test is based on the percentage score achieved. The grade and mark for the practical assessment with questions and interview is based on the number and level of descriptors achieved.

The overall grade for the DFSMI Standard is based on the grades in individual components as follows:

Multiple-choice test	Practical assessment with questions	Interview based on a portfolio of evidence	Overall grading
Fail	Any grade	Any grade	Fail
Any grade	Fail	Any grade	Fail
Any grade	Any grade	Fail	Fail
Pass	Pass	Pass	Pass
Distinction	Pass	Pass	Pass
Pass	Distinction	Pass	Pass
Pass	Pass	Distinction	Pass
Pass	Distinction	Distinction	Merit
Distinction	Distinction	Pass	Merit
Distinction	Pass	Distinction	Merit
Distinction	Distinction	Distinction	Distinction

The grading descriptors that will be applied for each assessment component along with additional details can be found in Section 3 of this Specification.

Section 4: Resits and retakes

Apprentices who fail one or more EPA components can re-sit or re-take the failed component at the employer's discretion. The apprentice's employer needs to agree that a re-sit or re-take is appropriate. A re-sit does not need further learning, but a re-take does. Apprentices should have a supportive action plan to prepare for a re-sit or a re-take.

The employer and Energy & Environment Awards should agree the timescale for a re-sit or re-take. A re-sit is typically taken within 2 months of the EPA outcome notification. The timescale for a re-take is dependent on how much re-training is required and is typically taken within 4 months of the EPA outcome notification.

Failed assessment methods must be re-sat or re-taken within a 6-month period from the EPA outcome notification, otherwise the entire EPA will need to be re-sat or re-taken in full.

Re-sits and re-takes are not offered to apprentices wishing to move from pass to a higher grade.

The apprentice will get a maximum EPA grade of a pass if they need to re-sit or re-take one or more assessment methods, unless Energy & Environment Awards determines there are exceptional circumstances.

The Energy & Environment Awards resit and re-take policy can be found at:
<https://energyenvironmentawards.co.uk/policies-and-fees/>

Section 5: Practical Guidance

L2 DFSMI Practical assessment Planning Form

Purpose

Energy & Environment Awards must approve employer's practical assessment with questions. The purpose of the approval is to provide Energy & Environment Awards with assurance that the practical assessment will be conducted in with the DFSMI assessment plan. The approval must take place before the first practical assessment with questions is carried out. To access the service, see Appendix D, DFSMI Supporting Documents 'Level 2 DFSMI Practical assessment with questions planning and approval form.'

Submitting the form to Energy & Environment Awards

To obtain approval, employers must complete the 'Level 2 DFSMI practical assessment with questions planning and approval form' This must be submitted to the Energy & Environment Awards Service Delivery Team for approval at least 2 months before Gateway.

Energy & Environment Awards Approval Process

Once the DFSMI practical assessment with questions planning and approval form has been received the approval process will be conducted by EEA. The outcomes will be shared with the employer/training provider no later than 5 working days following the review.

The employer/training provider must ensure:

- the task(s) being observed is suitable and sufficient and is to be carried out at a suitable premises. Site access for the assessor and any specific requirements must be advised in advance
- all equipment and resources are suitable for the task, in good safe working condition and certification where applicable

Please be aware:

- Practical assessment with questions approval does not guarantee the apprentice will pass the assessment
- No health and safety risk assessment has been carried out by EEA
- EEA approval does not remove any of the training provider obligations to ensure full coverage of the standard, and full compliance with relevant legislation

- EEA approval is based only on information supplied and is not a guarantee that the practical tasks/briefs, selected plant/machinery/equipment on the day of the assessment will be sufficient for the practical assessment with questions
- The information provided in the Level 2 DFSMI practical assessment with questions planning and approval form must not be shared with the apprentice

Preparing for the Practical assessment with questions

Where possible, the employer/training provider should provide the apprentice with the opportunity to carry out a practice practical assessment with questions as close to the real assessment described in Section 2 of the specification (Component 2).

The employer/training provider should prepare a practical task similar to (but not identical to) the tasks being used for the live assessment. A suitable person should be chosen to play the part of the assessor.

A template is provided to help ensure that the activities assessed during the practical assessment with questions will give complete coverage of the standard. See Appendix E, DFSMI Supporting Documents 'Practice Practical Assessment with Questions Template.'

Preparing for the Interview based on an EPA portfolio

A practice interview based on an EPA portfolio should take place between the apprentice and the person acting the role of an assessor. The apprentice should draw on evidence from their EPA portfolio during the discussion.

Guidance on an EPA Portfolio

Throughout the on-programme part of their apprenticeship, the apprentice must compile an EPA portfolio to support them in the interview. The Interview will draw on the evidence contained in the EPA portfolio.

The EPA portfolio should reflect their individual experiences and the activities carried out during this period and meet the requirements outlined in the assessment plan.

A completed EPA portfolio is one of the Gateway requirements.

The EPA portfolio is **not assessed**. It serves the following purposes:

- It provides the opportunity for each apprentice to provide examples of the knowledge, skills and behaviours that will be assessed in the interview
- A carefully prepared EPA portfolio will support the apprentice during the interview
- It allows the assessor to review the EPA portfolio before the interview to help focus and contextualise the questions the apprentice will be asked

The EPA portfolio is a record of how each apprentice demonstrated the knowledge, skills and behaviours that are assessed in the interview. Apprentices will have access to their EPA portfolio during the interview. When the employer/training provider registers their apprentices with EEA they will have access to the EPA Portfolio Template.

The role of the employer/training provider

Employer/training providers are expected to support the apprentice in preparing their portfolio by:

- providing clear instruction and deadlines to allow the apprentice to plan and compile their portfolio in preparation for the Gateway meeting
- advising on which pieces of evidence to select
- authenticating evidence as valid
- signing off the EPA portfolio
- submitting the portfolio to EEA as part of Gateway requirements.

What to expect in the practice interview?

The practice interview will be based on the EPA portfolio which will provide the apprentice with the opportunity to practice discussing their KSBs gained throughout their on-programme and by referring to the evidence from their EPA portfolio using their responses to the tasks and associated evidence. A suitable person should be chosen to play the part of the assessor.

A practice interview template is provided for use to prepare the appropriate questions to ask and to record the apprentices' performance. See Appendix F, DFSMI Supporting Documents 'Practice Interview Based on an EPA Portfolio Template.' As part of the practice exercise, apprentices should have access to their EPA portfolio to support their responses.

Preparing for the Multiple-choice Test

While on-programme, the employer and/or training provider should brief the apprentice on the areas to be assessed by the multiple-choice test, as detailed in Section 2 in this specification. It is good practice to identify the areas within the learning programme where the relevant knowledge is delivered, ensuring that apprentices are aware that elements of these might come up in the test.

The multiple-choice test is aligned to the standard rather than a specific job role that the apprentice may be doing. The questions have been written to reflect the DFSMI role as a whole and not focussed on specific plant, machinery, or employer-specific processes.

In readiness for end-point assessment, the apprentice should complete a practice multiple-choice test. This should be undertaken in advance of the live multiple-choice test, with enough time to mark the test, and provide feedback to the apprentices. A practice multiple-choice test is available as a printable copy - See Appendix C, DFSMI Supporting Documents 'Practice Multiple-choice Test.'

For maximum effect, ensure the test is taken in exam conditions similar to those that will be experienced in a live test.

Section 6: Authenticity and security of apprentice work

The apprentices must be advised by their training provider and employer that copying of any work (whether it is from another apprentice or from internal, external documents or source) and presenting it as their own will be deemed as malpractice and will lead to their work being disqualified. Apprentices must not share their work or allow any person to copy their work as this is not allowed and would also be deemed as malpractice.

In signing off the EPA portfolio, training providers and employers must be satisfied that the evidence in the EPA portfolio is:

- **adequate:** evidence must cover all relevant KSBs within the assessment plan. Adequate does not mean a large quantity of evidence. The evidence should focus on quality rather than quantity
- **authentic:** apprentices must be able to confirm and talk about the evidence that they submit with the independent assessor, appointed by EEA. It is vitally important apprentices only submit evidence relating to them
- **appropriate:** all evidence must be relevant to the KSBs assessed during the interview based on an EPA portfolio
- **recent and up to date:** all evidence must be linked to the tasks in the EPA portfolio template. The evidence must be recent and current which demonstrate the apprentice's competence. The independent assessors, appointed by EEA, will assess current competencies. Apprentices must gather evidence during their on-programme training

© Energy & Environment Awards Limited

All rights reserved. No part of this publication may be reproduced, stored in a retrievable system, or transmitted in any form or by any means whatsoever without prior written permission from the copyright holder.

www.energyenvironmentawards.co.uk